



CIRCUIT DIAGRAM

Dimensions unless otherwise specified

Size Range	Tolerance
$L \leq 1$	$\pm 0.15$
$1 < L \leq 8$	$\pm 0.20$
$8 < L \leq 23$	$\pm 0.25$
$23 < L \leq 50$	$\pm 0.30$
ANGAL	$\pm 1^\circ$

14	SPRING	1	SPRING STEEL	NIGRESCENCE, RoHS COMPLIANT
13	SLEEVE	1	H59	NI-PLATED, RoHS COMPLIANT
12	SEPARATOR	2	PDM, BLACK	RoHS COMPLIANT
11	COVER	1	PC 94HB, TRANSLUCENT	
10	HOUSING	1	ABS 94HB, BLACK	Ag-PLATED, RoHS COMPLIANT
9	9# TERMINAL	1	QSn6.5-0.1Y t=0.25	
8	8# TERMINAL	1	QSn6.5-0.1Y t=0.3	
7	7# TERMINAL	1	H62Y t=0.5	
6	6# TERMINAL	1	QSn6.5-0.1Y t=0.25	
5	5# TERMINAL	1	QSn6.5-0.1Y t=0.3	
4	4# TERMINAL	1	H62Y t=0.5	
3	3# TERMINAL	1	QSn6.5-0.1Y t=0.25	
2	2# TERMINAL	1	QSn6.5-0.1Y t=0.2	
1	1# TERMINAL	1	QSn6.5-0.1Y t=0.25	
NO.	PART NAME	Q'TY	MATERIAL (THICK, COLOR)	REMARK



SCALE: 2:1  
VIEW:   
UNIT: mm

NAME: PHONE JACK  
CAT. NO. SCJ-0639